


HALLIOS

LIGHTING



PRODUCT PRICING CATALOGUE

“

At Hallious, we are committed to delivering cutting-edge innovation, ensuring that our products enhance both functionality and aesthetics in every space. With Hallious, we see endless possibilities, redefining environments through thoughtful design. Designed for seamless illumination, Kendo offers a minimalistic yet versatile range of products, transforming spaces with effortless elegance.

”



**Top
Quality**



**Green
Environment**



**Competitive
Pricing**



**Make
In India**

Contents

M20 Magnetic Series

04

MS30 Ultra Thin Series

13

Belt Link Series

22

X-Line Series

36



M20 MAGNETIC Series

M20 magnetic series is convenient and easy. Once installed it has many light modules options to play with, which can be used according to the space requirements and can be re-adjusted anytime. It is meant to plug and play at any part of the track. Smart light modules options are available to create ambiance according to mood.



M20 MAGNETIC



M20 MAGNETIC

Model No. & Power (W)	Picture	Description	Dimensions	Price
--------------------------	---------	-------------	------------	-------

TRACK CHANNEL

TH20/SURFACE		ALUMINIUM GROOVE 1PCS IRON BAR 1PCS COPPER WIRE 4PCS (Ø0.5MM) END CAPS 2PCS WEIGHT:- 900 GRAMS DUST-PROOF COVER 1PCS 10PCS/CARTON	 Product size (mm) L1000*W26*H53	<div>₹2,000 Per Meter</div>
TC20/RECESSED		ALUMINIUM GROOVE 1PCS IRON BAR 1PCS COPPER WIRE 4PCS (Ø2.0MM) END CAPS 2PCS WEIGHT:- 1000 GRAMS DUST-PROOF COVER 1PCS 10PCS/CARTON	 Product size (mm) L1000*W63*H47	<div>₹2,848 Per Meter</div>
TC20/RECESSED		ALUMINIUM GROOVE 1PCS IRON BAR 1PCS COPPER WIRE 4PCS (Ø0.5MM) END CAPS 2PCS WEIGHT:- 900 GRAMS DUST-PROOF COVER 1PCS 5PCS/CARTON	 Product size (mm) L1000*W63*H48	<div>₹2,000 Per Meter</div>
M20/100W/SMPS		POWER: 100W/200W VOLTAGE: 220VAC VOLTAGE: DC48V CURRENT: 2.1AMP/4.15AMP	L235 X W22 X H25	<div>₹2,496</div>
M20/200W/SMPS			L300 X W22 X H25	<div>₹3,808</div>
TH20/SF/CORNER		BLACK	100*100MM	<div>₹1,408 Per Piece</div>
TC20/RC/CORNER		BLACK	100*100MM	<div>₹1,408 Per Piece</div>


Model No. & Power (W)	Picture	Description	Price
--------------------------	---------	-------------	-------

ACCESSORIES FOR TRACK

2 LINE 0.5CM INPUT CORD		Power cord to supply power from driver to channel	₹400 Per Pcs
----------------------------	---	---	-----------------

2 LINE STRAIGHT CORD		Power jumper to jump power from one straight channel to another channel	₹384 Per Pcs
-------------------------	---	--	-----------------


2 LINE CORNER CORD		Power jumper to jump power from corner channel to another corner channel	₹416 Per Pcs
--------------------	--	--	-----------------

SUSPENSION WIRE FOR TH20		To suspend track from ceiling	₹720 Per Pcs
-----------------------------	--	----------------------------------	-----------------

ST/SF/CHANNEL JOINTER		To join surface channel in stright light	₹208 2 Pcs Set
-----------------------	---	--	-------------------

ST/RC/CHANNEL JOINTER		To join recessed channel in one straight line	₹208 2 Pcs Set
-----------------------	---	---	-------------------

M20 MAGNETIC LIGHT MODULES




M20/DF340/BK 12W



M20/SP4/BK 8W



M20/TL7/BK 7W




M20/DF680/BK 24W



M20/SP8/BK 16W



M20/TL12/BK 12W




M20/DF90/BK 24W




M20/FD6X/BK 6W



M20/TL20/BK 20W




M20/LB6/BK 6W




M20/FD12X/BK 12W



M20/TB9/BK 9W



M20/LB12/BK 12W



M20/FD18X/BK 18W



M20/TA9/BK 7W



M20/LB18/BK 18W



M20/MN/25/BK 24W



M20/HG9/BK 9W

Model No. & Power (W)	Picture	LED Details	Dimensions	Price
LIGHT MODULE				
M20/DF340/BK 12W		BRIDGELUX 2835 > 3000 > 4000 CRI> 90 	 L340*W22*H25	₹1,568 ₹4,128 (Smart)
M20/DF680/BK 24W		BRIDGELUX 2835 > 3000 > 4000 CRI> 90 	 L678*W22*H25	₹2,208 ₹5,088 (Smart)
M20/DF90/BK 24W		BRIDGELUX 2835 > 3000 > 4000 CRI> 90 	 L365*320 W22*H15	₹4,608
M20/LB6/BK 6W		BRIDGELUX 3030 > 3000 > 4000 CRI> 90 	 L115, W22	₹1,248 ₹3,168 (Smart)
M20/LB12/BK 12W		BRIDGELUX 3030 > 3000 > 4000 CRI> 90 	 L172*W22*H25	₹1,728 ₹3,968 (Smart)
M20/LB18/BK 18W		BRIDGELUX 3030 > 3000 > 4000 CRI> 90 	 L323*W22*H25	₹2,688

Model No. & Power (W)	Picture	LED Details	Dimensions	Price
--------------------------	---------	-------------	------------	-------

LIGHT MODULE

M20/SP4/BK

8W




LIGHTNING 3030

● 3000

● 4000

CRI >90





L110*W22*H42

₹3,488

M20/SP8/BK

16W




LIGHTNING 3030

● 3000

● 4000

CRI >90





L218*W22*H42

₹5,888

M20/FD6X/BK

6W




BRIDGELUX 3030

> 3000

> 4000

CRI> 90






L118*W22*H84

₹1,792

₹4,608
(Smart)

M20/FD12X/BK

12W




BRIDGELUX 3030

> 3000

> 4000

CRI> 90






L226*W22*H84

₹3,008

₹5,888
(Smart)

M20/FD18X/BK

18W




BRIDGELUX 3030

> 3000

> 4000

CRI> 90





L348*W22*H84

₹4,288

M20/MN/25/BK

24W




BRIDGELUX 2835

> 3000

> 4000

CRI> 80






Ø250MM

₹9,280

M20/MN30/BK

24W



Ø300MM

₹14,080

Model No. & Power (W)	Picture	LED Details	Dimensions	Price
--------------------------	---------	-------------	------------	-------

LIGHT MODULE

M20/TL7/BK

7W




BRIDGELUX COB

> 3000

> 4000

CRI> 90



Ø36*L90*H125

₹3,240

₹5,888

(Smart)

M20/TL12/BK

12W




BRIDGELUX COB

> 3000

> 4000

CRI> 90



Ø48*L150*H185


₹3,872

₹6,688

(Smart)

M20/TL20/BK

20W




BRIDGELUX COB

> 3000

> 4000

CRI> 90



Ø48*L150*H185

₹5,376

M20/TB9/BK

9W




BRIDGELUX COB

> 3000

> 4000

CRI> 90



Ø39*290MM

₹4,608

M20/TA9/BK

7W




BRIDGELUX COB

> 3000

> 4000

CRI> 90



Ø54*290MM

₹4,608

M20/HG9/BK

9W




BRIDGELUX COB

> 3000

> 4000

CRI> 90



Ø39*290MM

₹5,376

MS30

Ultra Thin

Series



Ultra thin magnetic track lighting system is easy to install and doesn't require any false ceiling, slim design of 5mm thick track can be easily mounted on any hard surface like wooden and concrete style, Light modules are compact with sufficient power. smart light modules options are available to create ambiance according to mood. Available in Black and White body colours options.















Model No. & Power (W)	Picture	Installation	Dimensions	Price
--------------------------	---------	--------------	------------	-------



CHANNELS

MS30/WH			<div>30*5MM</div> <div>(Available in)</div> <div>1M</div> <div>2M</div> <div>3M</div>	₹928
MS30/BK			<div>30*5MM</div> <div>(Available in)</div> <div>1M</div> <div>2M</div> <div>3M</div>	₹928

SPARE PARTS

Model No. & Power (W)	Black	White	Dimensions	Prize
Straight Connect Module			30*30*5MM	₹64
L Connect Module			45*45*5MM	₹480
T Connect Module			60*45*5MM	₹560
Cross Connect Module			60*60*5MM	₹720
In&Out Connect Module			25*25*5MM	₹96

POWER SUPPLY


Model No. & Power (W)	Picture	Description	Body Colour	Dimensions	Prize
MS30/SP100		INPUT VOLTAGE: 190-245VAC	BLACK/WHITE	32*31*282MM	₹3808
		OUTPUT VOLTAGE: DC48V			₹7168 (Smart)
MS30/SP200		OUTPUT CURRENT: 2.1A 4.2A	BLACK/WHITE	32*31*352MM	₹5696
					₹8928 (Smart)
















MS30

Ultra Thin

LIGHT
















MODULES


















Model No. & Power (W)	Picture	LED Details	Dimensions	Price
LIGHTING MODULES				
MS30/DF300 12W		BRIDGELUX 2835 ● 3000 ● 4000 CRI >90 	300*32*11MM	₹1,728
MS30/DF600 24W			 600*32*11MM	₹2,624 (Smart)
				₹3,008
MS30/LB24 10W		BRIDGELUX 3030 ● 3000 ● 4000 CRI >90 	240*32*11MM	₹2,688
MS30/LB48 20W			 468*32*11MM	₹3,968 (Smart)
				₹4,608
MS30/TL7 7W		BRIDGELUX COB ● 3000 ● 4000 CRI >90 	Ø36*90*145MM	₹2,688
MS30/TL12 12W			 Ø50*90*160MM	₹3,808 (Smart)
				₹3,488
MS30/FD5 10W		BRIDGELUX COB ● 3000 ● 4000 CRI> 90 	 140*35*105MM	₹4,288
				₹5,888 (Smart)
MS30/DR54R 7W		BRIDGELUX COB ● 3000 ● 4000 CRI >90 	 Ø54*63*98MM	₹3,008
				₹4,288 (Smart)

Model No. & Power (W)	Picture	LED Details	Dimensions	Price
--------------------------	---------	-------------	------------	-------

LIGHTING MODULES

MS30/DF300 12W		BRIDGELUX 2835 ● 3000 ● 4000 CRI >90 	300*32*11MM 	₹1,728 ₹2,624 (Smart)
MS30/DF600 24W			600*32*11MM	₹3,008
MS30/LB24 10W		BRIDGELUX 3030 ● 3000 ● 4000 CRI >90 	240*32*11MM 	₹2,688 ₹3,968 (Smart)
MS30/LB48 20W			468*32*11MM	₹4,608
MS30/TL7 7W		BRIDGELUX COB ● 3000 ● 4000 CRI >90 	Ø36*90*145MM 	₹2,688 ₹3,808 (Smart)
MS30/TL12 12W			Ø50*90*160MM	₹3,488 ₹3,808 (Smart)
MS30/FD5 10W		BRIDGELUX COB ● 3000 ● 4000 CRI> 90 	 140*35*105MM	₹4,288 ₹5,888 (Smart)
MS30/DR54R 7W		BRIDGELUX COB ● 3000 ● 4000 CRI >90 	 Ø54*63*98MM	₹3,008 ₹4,288 (Smart)

Model No. & Power (W)	Picture	LED Details	Dimensions	Price
LIGHTING MODULES				
MS30/SP1 7W		BRIDGELUX COB ● 3000 ● 4000 CRI> 90 	 48*35*60MM	₹2,368 ₹3,456 (Smart)
MS30/SA1 7W		BRIDGELUX COB ● 3000 ● 4000 CRI> 90 	 48*35*60MM	₹2,368 ₹3,456 (Smart)
MS30/HZ7 7W		BRIDGELUX COB ● 3000 CRI> 90 	 Ø78*90MM	₹5,568
MS30/TP7 7W		BRIDGELUX COB ● 3000 CRI> 90 	 Ø180*120MM	₹3,776
MS30/HC7 7W		BRIDGELUX COB ● 4000 CRI> 90 	 Ø72*110MM	₹4,608

Model No. & Power (W)	Picture	LED Details	Dimensions	Price
--------------------------	---------	-------------	------------	-------

LIGHTING MODULES


MS30/DR54

7W



BRIDGELUX COB

- 3000
- 4000
- CRI >90



Ø54*75MM

₹2,864

₹3,968
(Smart)


MS30/TS7

7W



BRIDGELUX COB

- 3000
- CRI> 90



Ø105*120MM

₹4,288


MS30/TM7

7W



BRIDGELUX COB

- 3000
- CRI> 90



Ø85*50*120MM

₹5,248


MS30/FT500

16W



BRIDGELUX COB

- 3000
- 4000
- CRI> 90



Ø22*500MM

₹3,488

MS30/FT1000

24W

Ø22*1000MM

₹5,088


MS30/TML7

7W



BRIDGELUX COB

- 3000
- CRI> 90



Ø85*50*105MM

₹5,088

MS30/ZM

10W




BRIDGELUX COB

- 3000
- CRI> 90



₹31,968



BELT LINK

Series

Belt link is the most innovative product of our portfolio, it offers an artistic approach to achieve any desired shape or design lighting for contemporary and modern spaces. It's flexible design gives the freedom to explore and express the creativity to add uniqueness.



HOME DECORATION SCENE


Suitable for home decoration scenarios such as living room, study, and dining table at home.



BELT LINK

MULTIPLE COLORS AVAILABLE

There are five colors to choose from for the belt:
Brick red, dark blue, beige, light green, black.
According to the different application, create your
own unique style



EASY CONNECTION

Each belt, which can be cut as needed, accommodates multiple luminaires and operates with simple plug-in technology for unparalleled ease of installation and connection. The belt offers adjustments in tension from taut to relaxed as well as click-and-connect functionality, snapping into a buckle attached to each luminaire

THERE ARE THREE WAYS TO CONNECT THE POWER SUPPLY

Single outlet









Dual outgoing wires are connected downward



Double outlet



A VARIETY OF MODELING LINE DRAWINGS



BELT 30 SERIES

BELT LINK



FIXED CYLINDER AND FIXED RING-RECESSED INSTALLATION DEMONSTRATION

cylinder bracket fix on the ceiling to hold the
belt or as a feeder,recessed ring fixed on the
ceiling to hold the belt or as a feeder.





CONNECTION BETWEEN THE TRACK AND THE BELT

connector for ultrathin track and belt
to conduct the electricity, The belt
adapter can be rotated horizontally
355°



POWER SUPPLY INSTALLATION DEMONSTRATION

The belt flows in and out of the canopy, establishing conductivity and electrical connection where needed















BELT LINK
LIGHT MODULES




Model No. & Power (W)	Picture	Description	Dimensions	Price
--------------------------	---------	-------------	------------	-------

LIGHT MODULES

<div>BLWQ-R01</div> <div>12W</div>		<div>FINISH COLOR: SANDY BLACK / SANDY WHITE</div> <div>LED LIGHT SOURCE: CREE(3000K/4000K, 90RA)</div> <div>INPUT VOLTAGE: DC48V</div> <div>BEAM ANGLE: 38°/60°</div> <div>WARRANTY: 2 YEARS</div>	 <div>D100*H107MM</div>	<div>₹7,699</div>
<div>BLWQ-R03</div> <div>12W</div>		<div>FINISH COLOR: SANDY BLACK / SANDY WHITE</div> <div>LED LIGHT SOURCE: OSRAM2835 (3000K/4000K, 90RA)</div> <div>INPUT VOLTAGE: DC48V</div> <div>BEAM ANGLE: 120°</div> <div>WARRANTY: 2 YEARS</div>	 <div>D100*H107MM</div>	<div>₹5,869</div>
<div>BLWQ-R05</div> <div>7W</div>		<div>FINISH COLOR: SANDY BLACK</div> <div>LED LIGHT SOURCE: OSRAM2835 (3000K/4000K, 90RA)</div> <div>INPUT VOLTAGE: DC48V</div> <div>BEAM ANGLE: 120°</div> <div>WARRANTY: 2 YEARS</div>	 <div>D150*H147MM</div>	<div>₹7,808</div>
<div>BLWQ-R07</div> <div>12W</div>		<div>FINISH COLOR: SANDY BLACK / SANDY WHITE</div> <div>LED LIGHT SOURCE: OSRAM2835 (3000K/4000K, 90RA)</div> <div>INPUT VOLTAGE: DC48V</div> <div>BEAM ANGLE: 120°</div> <div>WARRANTY: 2 YEARS</div>	 <div>D200*H113MM</div>	<div>₹10,640</div>
<div>BLWQ-R09</div> <div>12W</div>		<div>FINISH COLOR: SANDY BLACK / SANDY WHITE</div> <div>LED LIGHT SOURCE: OSRAM2835 (3000K/4000K, 90RA)</div> <div>INPUT VOLTAGE: DC48V</div> <div>BEAM ANGLE: 120°</div> <div>WARRANTY: 2 YEARS</div>	 <div>D300*H71MM</div>	<div>₹14,000</div>
<div>BLWQ-R11</div> <div>12W</div> <div>24W</div>		<div>FINISH COLOR: SANDY BLACK / SANDY WHITE</div> <div>LED LIGHT SOURCE: OSRAM3030 (3000K/4000K, 90RA)</div> <div>INPUT VOLTAGE: DC48V</div> <div>BEAM ANGLE: 24°/40°</div> <div>WARRANTY: 2 YEARS</div>	 <div>L323*W40*H45MM</div> <div>L642*W40*H45MM</div>	<div>₹5,869</div> <div>₹8,672</div>

Model No. & Power (W)	Picture	Description	Dimensions	Price
--------------------------	---------	-------------	------------	-------





LIGHT MODULES

BLWQ-R13 12W 24W		FINISH COLOR: SANDY BLACK / SANDY WHITE	 L323*W40*H45MM	₹4,608
		LED LIGHT SOURCE: OSRAM2835 (3000K/4000K, 90RA)		
		INPUT VOLTAGE: DC48V		
		BEAM ANGLE: 120°		
		WARRANTY: 2 YEARS	L642*W40*H45MM	₹7,584

BT30-G100 24W		FINISH COLOR: ALUMINUM+GLASS, BLACK	 Φ150	₹11,165
		CCT: 3000K		
		INPUT VOLTAGE: DC48V		
		BEAM ANGLE: 120°		
		WARRANTY: 2 YEARS		

BELT		FINISH COLOR: BEGONIA RED / DARK GRAY / AVOCADO	10M/ROLL	₹15,680
			20M/ROLL	₹31,360
				


CONNECTIONS


ELECTRICAL CONNECTION OPTIONS		Surface Canopy (Built-in power supply can be hidden inside) Included necessary accessories for different belt options	D205*H50MM	₹10,411
		FINISH COLOR: SANDY BLACK	D260*H50MM	₹11,726
		Input Module FINISH COLOR: SANDY BLACK		₹1,088
		Remote Surface Canopy (Feeder only) FINISH COLOR: SANDY BLACK		₹1,408

FASTEN		CIRCULAR RATCHET (FOR DOUBLE BELTS)		₹1,088
		FINISH COLOR: SANDY BLACK		

Model No. & Power (W)	Picture	Description	Dimensions	Price
--------------------------	---------	-------------	------------	-------

CONNECTIONS


BT-AD1 ADAPTER		Transform the lights in ultrathin series to fix proper on the belt MATERIAL: PC	38.5*36*10.5MM	₹600
-------------------	---	---	----------------	------

BT-AD2 ADAPTER		Connector for ultrathin track and belt to conduct the electricity MATERIAL: PC	44*33*30MM	₹1,200
-------------------	--	--	------------	--------

BT-AD3 ADAPTER		BT-AD1 without pin board MATERIAL: PC	38.5*36*10.5MM	₹240
-------------------	---	---	----------------	------


BT-AD4 INPUT MODULE		BT-AD1 with cable to connect with the external power supply MATERIAL: PC	38.5*36*10.5MM	₹720
------------------------	---	--	----------------	------

POWER SUPPLY

BT30-SP100		POWER: 100W AC INPUT VOLTAGE: 220VAC DC OUTPUT VOLTAGE: DC48V DC OUTPUT CURRENT: 2.1A	154*80*25MM	₹5,248
BT30-SP200		POWER: 100W AC INPUT VOLTAGE: 220VAC DC OUTPUT VOLTAGE: DC48V DC OUTPUT CURRENT: 2.1A	154*80*25MM	₹9,088

Model No. & Power (W)	Picture	Description	Dimensions	Price
--------------------------	---------	-------------	------------	-------

CONNECTIONS

BT-HOS-SP		The power supply can be put inside this casing and installed surface on the ceiling	250*90*45MM	₹3,168
-----------	---	---	-------------	--------

BELT ACCESSORIES

COUNTER WEIGHT		<p>CIRCULAR RATCHET (FOR FLOOR LAMP APPLICATION)</p> <p>FINISH COLOR: SANDY BLACK</p>		₹3,912
----------------	--	---	---	--------

ACCESSORIES FOR BELT		BELT SUPPORT (BLACK)		₹224
		Belt End Cap-Double wires (BLACK)		₹160
		BELT END CAP-SINGLE WIRE (BLACK)		₹128




MULTIPLE COLORS AVAILABLE

There are three colors to choose from for the track: black, gold, and nickel. According to the different needs of the space, match them to create your own unique style



FREE INSTALLATION




QUICK INSTALLATION
















Rotating buckle, with magnets on the lamp joint to prevent the lamp from falling off easily, making it safer and more reliable.

48V low voltage power supply with safety performance, can be directly touched, or easily slide into any position on the track according to the different needs of space

CHANDEL-TRACK SERIES



Product name & code	Picture	Installation	Description	Dimensions	Prize
XL13 MAGNETIC TRACK					
XL13-1M		1) Input voltage: DC48V	1) Aluminium track 1pcs	1000*13*19MM	₹3,360 20pcs/box
XL13-2M		2) Installation: Suspendant	2) Iron bar 2pcs	2000*13*19MM	₹6,720 20pcs/box
XL13-3M		3) Material: Copper & Aluminum & Iron 4) Weight: 350 g / m	3) Conductors 4pcs (2.45*0.6mm purple copper) 4) End cap 2pcs	3000*13*19MM	₹9,920 20pcs/box
			Color: Black Brushed		
XL13 MAGNET TRACK-ROUND					
XL13-TR600		1) Input voltage: DC48V	1) Aluminium track 1pcs	D600M	₹26,880 5pcs/box
XL13-TR800		2) Installation: Suspendant	2) Iron bar 2pcs	D800M	₹31,920 5pcs/box
XL13-TR1000		3) Material: Copper & Aluminum & Iron 4) Weight: 350 g / m	3) Conductors 4pcs (2.45*0.6mm purple copper)	D1000M	₹37,120 5pcs/box
XL13-TR1500		Color: Black Brushed		D1500M	₹44,240 1pcs/box
XL13-TR2000				D2000M	₹58,240 1pcs/box
POWER SUPPLY					
ON-TRACK XL13-SP100 /OT 100W		Power: 100 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 2.1 A		34*60*180MM	₹10,880 30pcs/box
ON-TRACK XL13-SP200 /OT 200W		Power: 200 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 4.2 A		34*60*265MM	₹15,680 30pcs/box
ON-TRACK XL13-SP100/EX 100W		Power: 100 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 2.1 A		50*40*200MM	₹9,440 30pcs/box
ON-TRACK XL13-SP200/EX 200W		Power: 200 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 4.2 A		50*40*265MM	₹13,440 30pcs/box


Product name & code	Picture	Installation	Description	Dimensions	Price
ACCESSORIES					
FEEDER WITH CABLE XL13-FD1		Feeder with electricity cable	Aluminim, Copper & PC Color: Black	Φ30*75MM	₹4,640 120pcs/box
CONNECTOR XL13-CD1		Holder with conductor	Aluminim, Copper & PC Color: Black	 Φ30*75MM	₹3,968 120pcs/box
HOLDER XL13-HD1		Holder	Aluminim & Copper Color: Black	 Φ30*75MM	₹3,808 120pcs/box
FEEDER-DOUBLE XL13-FD2		Holder for double layer track with conductor	Aluminim, Copper, PC & Iron Color: Black	 Φ30*77MM	₹4,768 120pcs/box
HOLDER-DOUBLE XL13-HD2		Holder for double layer track	Aluminim Color: Black	 Φ30*77MM	₹3,168 120pcs/box
CONNECTOR/T TO T-DOUBLE XL13-FD3		connector for double layer track from track to track with conductor	Aluminim, Copper, PC & Iron Color: Black	Φ30*112MM	₹7,808 60pcs/box
HOLDER/T TO TDOUBLE XL13-HD3		Holder for double layer track from track to track without conductor	Aluminim Color: Black	Φ30*112MM	₹6,208 60pcs/box

<div>HALLIOS</div> <div>LIGHTING</div>		<div>X-Line</div>			
Product name & code	Picture & Diagram	Installation	Description	Dimensions	Price

ACCESSORIES


ADJUSTABLE SUSPENDER

XL13-SD500		Suspender 500mm	Iron	500+500MM	₹800
XL13-SD750		Suspender 750mm	Color: Black	750+750MM	₹960
XL13-SD1000		Suspender 1000mm		1000+1000MM	₹1,120

XL13-CP1		Ceiling plate	Iron	Φ60*30MM	₹608
			Color: Black		

XL13-WB1		Hanging Wire Bag	Stainless Steels stainless steel+Iron including the Screws	1.5M	₹960
----------	--	------------------	--	------	------


CONNECTOR
XL13-ZJ1



Connector bettween
two straight track

Copper & PC


Color: Black



50*36.5*7MM

₹640


END CAP
XL13-ED1



End cap for single
track(one pair)

PC

Color: Black

















32*10*7.5MM

₹96


X-Line
LIGHT MODULES






Product name & code	Picture	Wattage	LED CHIP & CRI	Description	Dimensions	Price
XL MODULES						
XL13-D30		7W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black Beam Angle: 30°	Φ30*125MM 	₹4,768 40pcs/box
XL13-D40		12W			Φ40*125MM	₹6,368 40pcs/box
XL13-D30AR		4W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black Beam Angle: 105°	Φ30*125MM 	₹5,088 40pcs/box
XL13-D40AR		7W			Φ40*125MM	₹6,848 40pcs/box
XL13-TL7		7W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black Beam Angle: 24°	Φ36*90*160MM 	₹6,112 40pcs/box
XL13-TL12		12W			Φ48*150*220MM	₹7,600 40pcs/box
XL13-X60		12W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black Beam Angle: 30°	Φ60*125MM 	₹7,072 40pcs/box
XL13-X80		18W			Φ80*125MM	₹8,784 20pcs/box
XL13-R70		4W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Black Beam Angle: 70°	 Φ70*118MM	₹5,584 20pcs/box
XL13-LB5		10W	3000K/4000K/5000K Lightning 3535 CRI>90	Aluminium / Black Beam Angle: 30°	 34*65*135MM	₹6,848 40pcs/box
XL13-LB10		20W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Black Beam Angle: 70°	 34*65*268MM	₹10,368 20pcs/box



Product name & code	Picture & Diagram	Wattage	LED CHIP & CRI	Description	Dimensions	Price
------------------------	-------------------	---------	----------------	-------------	------------	-------

XL MODULES

XL13-DF265		12W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Black Beam Angle: 105°	34*65*268MM	₹7,968 20pcs/box
------------	---	-----	---	--	-------------	----------------------------


XL13-Z7W		7W	3000K/4000K/5000K Ra>90;Bridgelux Cob	Aluminium / Black Beam Angle: 24°	Φ90*102MM	₹7,824 20pcs/box
----------	--	----	---	---	-----------	----------------------------

XL13-G100		4W	3000K/4000K/5000K Bridgelux 2835 CRI>90	 Aluminium / Black Beam Angle: 110°	Φ100*150MM	₹7,968 20pcs/box
-----------	---	----	---	---	------------	----------------------------

XL13-PL200		15W	3000K/4000K/5000K Bridgelux 2835 CRI>90	 Aluminium / Black Beam Angle: 110°	Φ205*283MM	₹14,848 20pcs/box
------------	---	-----	---	---	------------	-----------------------------

Product name & code	Picture	Installation	Description	Dimensions	Prize
------------------------	---------	--------------	-------------	------------	-------



XL13 MAGNETIC TRACK












XL13-1M		1) Input voltage: DC48V 2) Installation: Suspendant 3) Material: Copper & Aluminum & Iron 4) Weight: 350 g / m	1) Aluminium track 1pcs 2) Iron bar 2pcs 3) Conductors 4pcs (2.45*0.6mm purple copper) 4) End cap 2pcs Color: Gold Brushed	1000*13*19MM	₹4,624 20pcs/box
XL13-2M				2000*13*19MM	₹9,248 20pcs/box
XL13-3M				2500*13*19MM	₹13,872 20pcs/box

XL13 MAGNET TRACK-ROUND

XL13-TR600		1) Input voltage: DC48V 2) Installation: Suspendant 3) Material: Copper & Aluminum & Iron 4) Weight: 350 g / m	1) Aluminium track 1pcs 2) Iron bar 2pcs 3) Conductors 4pcs (2.45*0.6mm purple copper) Color: Gold Brushed	D600M	₹30,080 5pcs/box
XL13-TR800				D800M	₹38,720 5pcs/box
XL13-TR1000				D1000M	₹44,480 5pcs/box
XL13-TR1500				D1500M	₹55,680 1pcs/box
XL13-TR2000				D2000M	₹70,720 1pcs/box

POWER SUPPLY


ON-TRACK XL13-SP100 /OT 100W		Power: 100 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 2.1 A	34*60*180MM	₹11,040 30pcs/box
ON-TRACK XL13-SP200 /OT 200W		Power: 200 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 4.2 A	34*60*265MM	₹14,880 30pcs/box
ON-TRACK XL13-SP100/EX 100W		Power: 100 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 2.1 A	50*40*200MM	₹9,520 30pcs/box
ON-TRACK XL13-SP200/EX 200W		Power: 200 W Input Voltage: 180~255Vac Output Voltage: DC 48 V Current: 4.2 A	50*40*265MM	₹13,248 30pcs/box

Product name & code	Picture	Installation	Description	Dimensions	Price
ACCESSORIES					
FEEDER WITH CABLE XL13-FD1		Feeder with electricity cable	Aluminim, Copper & PC Color: Gold	Φ30*75MM	₹5,040 120pcs/box
CONNECTOR XL13-CD1		Holder with conductor	Aluminim, Copper & PC Color: Gold	 Φ30*75MM	₹4,320 120pcs/box
HOLDER XL13-HD1		Holder	Aluminim & Copper Color: Gold	 Φ30*75MM	₹3,960 120pcs/box
FEEDER-DOUBLE XL13-FD2		Holder for double layer track with conductor	Aluminim, Copper, PC & Iron Color: Gold	 Φ30*77MM	₹5,248 120pcs/box
HOLDER-DOUBLE XL13-HD2		Holder for double layer track	Aluminim Color: Gold	 Φ30*77MM	₹3,480 120pcs/box
CONNECTOR/T TO T-DOUBLE XL13-FD3		connector for double layer track from track to track with conductor	Aluminim, Copper, PC & Iron Color: Gold	Φ30*112MM	₹8,640 60pcs/box
HOLDER/T TO TDOUBLE XL13-HD3		Holder for double layer track from track to track without conductor	Aluminim Color: Gold	Φ30*112MM	₹6,840 60pcs/box



ACCESSORIES



ADJUSTABLE SUSPENDER

SR 20		Suspender 500mm	Aluminim	20MM	₹360
SR 73			Color: Gold	73MM	₹480
SR 250		Suspender 750mm		250MM	₹912
SR 500				500MM	₹1,760
SR 100		Suspender 1000mm		1000MM	₹3,488




XL13-CP1		Ceiling plate	Aluminim	Φ60*30MM	₹608
			Color: Gold		















XL13-WB1		Hanging Wire Bag	Stainless Steels stainless steel+Iron including the Screws	1.5M	₹960
----------	--	------------------	--	------	------

CONNECTOR XL13-ZJ1		Connector bettwen two straight track	Copper & PC		₹640
			Color: Gold	50*36.5*7MM	

END CAP XL13-ED1		End cap for single track(one pair)	PC		₹96
			Color: Gold	32*10*7.5MM	







X-Line
LIGHT MODULES



Product name & code	Picture	Wattage	LED CHIP & CRI	Description	Dimensions	Price
XL MODULES						
XL13-D30/G		7W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black	<div>Φ30*125MM</div> 	₹5,568 40pcs/box
XL13-D40/G		12W		Beam Angle: 30°	<div>Φ40*125MM</div>	₹7,488 40pcs/box
XL13-D30AR/G		4W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black	<div>Φ30*125MM</div> 	₹6,208 40pcs/box
XL13-D40AR/G		7W		Beam Angle: 105°	<div>Φ40*125MM</div>	₹7,808 40pcs/box
XL13-TL7/G		7W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black	<div>Φ36*90*160MM</div> 	₹7,168 40pcs/box
XL13-TL12/G		12W		Beam Angle: 24°	<div>Φ48*150*220MM</div>	₹8,768 40pcs/box
XL13-X60/G		12W	3000K/4000K/5000K Bridgelux COB CRI>90	Aluminium / Black	<div>Φ60*125MM</div> 	₹7,808 40pcs/box
XL13-X80/G		18W		Beam Angle: 30°	<div>Φ80*125MM</div>	₹10,384 20pcs/box
XL13-R70/G		4W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Black	<div>Φ70*118MM</div> 	₹6,208 20pcs/box
XL13-LB5/G		10W	3000K/4000K/5000K Lightning 3535 CRI>90	Aluminium / Black	<div>34*65*135MM</div> 	₹7,488 40pcs/box
XL13-LB10/G		20W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Black	<div>34*65*268MM</div> 	₹11,648 20pcs/box

Product name & code	Picture	Wattage	LED CHIP & CRI	Description	Dimensions	Price
------------------------	---------	---------	----------------	-------------	------------	-------

XL MODULES

XL13-DF265/G		12W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Gold Beam Angle: 105°	34*65*268MM	₹9,408 20pcs/box
XL13-PL200/G		15W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Gold Beam Angle: 110°	Φ205*283MM 	₹15,360 20pcs/box
XL13-G100/G		4W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Gold Beam Angle: 110°	Φ100*150MM 	₹7,808 20pcs/box
XL13-Z7W		12W	3000K/4000K/5000K Ra>90;Bridgelux Cob	Aluminium / Gold Beam Angle: 24°	Φ90*102MM	₹9,088 20pcs/box

*DALI Lights can be made against order for M20 and X-line range.

*Special color temperatures like 3500k, 4500k, 5000k & 6000k can be made against order.

*Prices can be revised, without any prior notice. Company remains the right to change prices and products at any time.

*Processing time may vary from series to series depending upon availability. PI will be shared for exact timeline for delivery.

*Images and all Data is intellectual property of Glitz Lighting private limited under copyright act.

HALLIOS
LIGHTING

THANKYOU

Indoor | Outdoor | Decorative | Architectural lighting solutions

